

# HAOMEI®

## 豪美新材

### Round Tube

Diameter	kg/m	Alloy
Y100.2X20.2	13.758	6060/6082/6063
Y100X10	7.662	6060/6082/6063
Y100X15	10.855	6060/6082/6063
Y100x2.2	1.825	6060/6082/6063
Y100X20	13.622	6060/6082/6063
Y100X25	15.963	6060/6082/6063
Y100X25	15.963	6060/6082/6063
Y100X30	17.879	6060/6082/6063
Y100X5	4.044	6060/6082/6063
Y101.6X1.83	1.556	6060/6082/6063
Y101.6x3.18	2.664	6060/6082/6063
Y10x1	0.077	6060/6082/6063
Y10X1.2	0.09	6060/6082/6063
Y10X1.5	0.109	6060/6082/6063
Y10X2.0	0.137	6060/6082/6063
Y10X2.5	0.16	6060/6082/6063
Y110X10	8.515	6060/6082/6063
Y110X15	12.132	6060/6082/6063
Y110X5	4.47	6060/6082/6063
Y114.3x3.05	2.886	6060/6082/6063

# HAOMEI®

## 豪美新材

### Round Tube

Diameter	kg/m	Alloy
Y12.5X1.0	0.098	6060/6082/6063
Y12.7x1.27	0.124	6060/6082/6063
Y120X10	9.365	6060/6082/6063
Y120X15	13.409	6060/6082/6063
Y120X2.5	2.502	6060/6082/6063
Y120X20	17.027	6060/6082/6063
Y120X5.0	4.895	6060/6082/6063
Y12x1	0.094	6060/6082/6063
Y12x1	0.094	6060/6082/6063
Y12X2	0.171	6060/6082/6063
Y130X10	10.216	6060/6082/6063
Y130X5	5.3	6060/6082/6063
Y13x1.0H	0.097	6060/6082/6063
Y140X10	11.068	6060/6082/6063
Y140X15	15.962	6060/6082/6063
Y140X5	5.747	6060/6082/6063
Y14X1.0	0.111	6060/6082/6063
Y14x2.0	0.204	6060/6082/6063
Y150X15	17.24	6060/6082/6063
Y150X20	22.136	6060/6082/6063

# HAOMEI®

## 豪美新材

### Round Tube

Diameter	kg/m	Alloy
Y150X5.0	6.173	6060/6082/6063
Y15x1	0.119	6060/6082/6063
Y15X2.0	0.222	6060/6082/6063
Y160X10	12.771	6060/6082/6063
Y16x1.0	0.128	6060/6082/6063
Y16x1.25	0.157	6060/6082/6063
Y17.4x1.6	0.213	6060/6082/6063
Y170X5	7.024	6060/6082/6063
Y180X10	14.473	6060/6082/6063
Y180X6	8.889	6060/6082/6063
Y18X1.0	0.145	6060/6082/6063
Y18X1.5	0.211	6060/6082/6063
Y18X2	0.273	6060/6082/6063
Y19.05X1.0	0.154	6060/6082/6063
Y19.05x1.27	0.194	6060/6082/6063
Y19.1X2.14	0.333	6060/6082/6063
Y190X5	7.875	6060/6082/6063
Y19x1.0H	0.148	6060/6082/6063
Y19x1T	0.153	6060/6082/6063
Y200X10	16.176	6060/6082/6063

# HAOMEI®

## 豪美新材

### Round Tube

Diameter	kg/m	Alloy
Y200X5	8.301	6060/6082/6063
Y20x1	0.161	6060/6082/6063
Y20x2	0.305	6060/6082/6063
Y20x3.0	0.434	6060/6082/6063
Y20X5	0.638	6060/6082/6063
Y21.34x2.77	0.438	6060/6082/6063
Y22X1.1	0.196	6060/6082/6063
Y22X2	0.341	6060/6082/6063
Y25.4X3.0	0.572	6060/6082/6063
Y25x1.2	0.243	6060/6082/6063
Y25x1.5	0.299	6060/6082/6063
Y25X1.6	0.319	6060/6082/6063
Y25X2.0	0.392	6060/6082/6063
Y25X2.5	0.479	6060/6082/6063
Y28X2.0	0.443	6060/6082/6063
Y30x2	0.475	6060/6082/6063
Y30X3.0	0.69	6060/6082/6063
Y30X3.0	0.69	6060/6082/6063
Y30X3.0	0.69	6060/6082/6063
Y30X5	1.065	6060/6082/6063

# HAOMEI®

## 豪美新材

### Round Tube

Diameter	kg/m	Alloy
Y31x2.0	0.492	6060/6082/6063
Y32X2.0	0.511	6060/6082/6063
Y32X3	0.741	6060/6082/6063
Y32X3	0.741	6060/6082/6063
Y35X1.5	0.428	6060/6082/6063
Y35x2	0.56	6060/6082/6063
Y35X5	1.277	6060/6082/6063
Y38.1X1.0	0.315	6060/6082/6063
Y38x2.5E	0.656	6060/6082/6063
Y40X10	2.554	6060/6082/6063
Y40x2	0.645	6060/6082/6063
Y40x2	0.645	6060/6082/6063
Y40X2.5	0.799	6060/6082/6063
Y40X2.5	0.799	6060/6082/6063
Y40X2.5	0.799	6060/6082/6063
Y40X2.5	0.799	6060/6082/6063
Y40X3	0.945	6060/6082/6063
Y40X3	0.945	6060/6082/6063
Y40X3	0.945	6060/6082/6063
Y40X3	0.945	6060/6082/6063

# HAOMEI®

## 豪美新材

### Round Tube

Diameter	kg/m	Alloy
Y40X3	0.945	6060/6082/6063
Y40X5	1.49	6060/6082/6063
Y40X5	1.49	6060/6082/6063
Y40X5	1.49	6060/6082/6063
Y42.7X1.2	0.424	6060/6082/6063
Y42x1.3	0.45	6060/6082/6063
Y42x3.1	1.023	6060/6082/6063
Y44X1.52	0.55	6060/6082/6063
Y45X2.0	0.732	6060/6082/6063
Y45X2.5	0.905	6060/6082/6063
Y48.26x3.68	1.398	6060/6082/6063
Y48.3X4.05	1.526	6060/6082/6063
Y48.3X4.05	1.526	6060/6082/6063
Y48.3X4.47	1.668	6060/6082/6063
Y48.3x9.9	3.225	6060/6082/6063
Y48.6x3	1.16	6060/6082/6063
Y48X1	0.4	6060/6082/6063
Y48X1.3	0.517	6060/6082/6063
Y48x2.8	1.074	6060/6082/6063
Y48x4.0	1.498	6060/6082/6063

# HAOMEI®

## 豪美新材

### Round Tube

Diameter	kg/m	Alloy
Y50.1X10.15	3.452	6060/6082/6063
Y50.8X1.52	0.638	6060/6082/6063
Y50X10	3.405	6060/6082/6063
Y50X12.5	3.991	6060/6082/6063
Y50X2	0.818	6060/6082/6063
Y50X2	0.818	6060/6082/6063
Y50X2.5	1.012	6060/6082/6063
Y50X5	1.916	6060/6082/6063
Y50X7.5	2.714	6060/6082/6063
Y52.5X1	0.439	6060/6082/6063
Y53.4x0.95	0.639	6060/6082/6063
Y55X12.5	4.523	6060/6082/6063
Y55X7.5	3.033	6060/6082/6063
Y57x3E	1.181	6060/6082/6063
Y60.1X10.15	4.316	6060/6082/6063
Y60.5x5.0	2.379	6060/6082/6063
Y60X15	5.747	6060/6082/6063
Y60X2.0	0.988	6060/6082/6063
Y60x2.5	1.312	6060/6082/6063
Y60X5	2.342	6060/6082/6063

# HAOMEI®

## 豪美新材

### Round Tube

Diameter	kg/m	Alloy
Y60X5	2.342	6060/6082/6063
Y61x2.0	1.001	6060/6082/6063
Y65.2X12.7	5.677	6060/6082/6063
Y66.5x2.5	1.47	6060/6082/6063
Y6x1	0.042	6060/6082/6063
Y6x1	0.042	6060/6082/6063
Y6x1	0.042	6060/6082/6063
Y70X10	5.108	6060/6082/6063
Y70X15	7.024	6060/6082/6063
Y70X2.5	1.437	6060/6082/6063
Y70x3.94	2.228	6060/6082/6063
Y73.8X1.65	0.919	6060/6082/6063
Y75X5	2.98	6060/6082/6063
Y79X4	2.554	6060/6082/6063
Y8.5X1.75	0.101	6060/6082/6063
Y80.2X20.2	10.319	6060/6082/6063
Y80.2X25.2	11.8	6060/6082/6063
Y80X10	5.959	6060/6082/6063
Y80X2	1.329	6060/6082/6063
Y80X2.5	1.65	6060/6082/6063



# HAOMEI®

## 豪美新材

### Round Tube

Diameter	kg/m	Alloy
Y80X20	10.216	6060/6082/6063
Y80X5	3.193	6060/6082/6063
Y85x1.3	0.923	6060/6082/6063
Y86.6X1.9	1.37	6060/6082/6063
Y88.9x5.49	3.899	6060/6082/6063
Y8x1	0.06	6060/6082/6063
Y8x1	0.06	6060/6082/6063
Y8x1	0.06	6060/6082/6063
Y8X1.2	0.07	6060/6082/6063
Y8x4E	0.068	6060/6082/6063
Y9.5X1.75	0.116	6060/6082/6063
Y90.3X20.25	12.077	6060/6082/6063
Y90.3X25.25	13.984	6060/6082/6063
Y90X10	6.812	6060/6082/6063
Y90X5	3.618	6060/6082/6063
Y93X1.7	1.321	6060/6082/6063
Y94x1.8	1.408	6060/6082/6063
Y110X3.0	2.733	6060/6082/6063
Y144X4.5	5.345	6060/6082/6063
Y189X5.0	7.833	6060/6082/6063

# HAOMEI®

## 豪美新材

### Round Tube

Diameter	kg/m	Alloy
Y50X3.0	1.2	6060/6082/6063
Y50X3.0	1.2	6060/6082/6063
Y80X15	8.3	6060/6082/6063
Y51X1.9	0.795	6060/6082/6063
Y51X1.9	0.795	6060/6082/6063
Y25.4X3.18	0.602	6060/6082/6063
Y90X12.5	8.248	6060/6082/6063
Y9X1	0.069	6060/6082/6063
Y90X15	9.578	6060/6082/6063
Y60X3.0	1.456	6060/6082/6063
Y160X15	18.517	6060/6082/6063
Y70X20	8.514	6060/6082/6063
Y12X1.5	0.134	6060/6082/6063
Y50X8.5	3.145	6060/6082/6063
Y48X2.0	0.783	6060/6082/6063
Y35X3.0A	0.817	6060/6082/6063
Y90.3X15.25A	9.744	6060/6082/6063
Y15X3.0	0.307	6060/6082/6063
Y30X1.5	0.364	6060/6082/6063
Y65X12.5	5.587	6060/6082/6063

# HAOMEI®

## 豪美新材

### Round Tube

Diameter	kg/m	Alloy
Y20X1.5	0.236	6060/6082/6063
Y40X1.0	0.332	6060/6082/6063
Y48X1.2	0.488	6060/6082/6063
Y25.4X1.0	0.208	6060/6082/6063
Y20X1.2	0.192	6060/6082/6063
Y20X1.2	0.192	6060/6082/6063
Y20X1.2	0.192	6060/6082/6063
Y20X1.2	0.192	6060/6082/6063
Y20X1.2	0.192	6060/6082/6063
Y32X1.2	0.315	6060/6082/6063
Y13X1.5	0.147	6060/6082/6063
Y168.28X4.2	5.867	6060/6082/6063
Y127X3.5	3.68	6060/6082/6063
Y76.2X3.18	1.977	6060/6082/6063
Y22X6.0	0.817	6060/6082/6063
Y12.7X1.1	0.109	6060/6082/6063
Y34X4.0	1.022	6060/6082/6063
Y34X4.0	1.022	6060/6082/6063
Y34X4.0	1.022	6060/6082/6063
Y34X4.0	1.022	6060/6082/6063

# HAOMEI®

## 豪美新材

### Round Tube

Diameter	kg/m	Alloy
Y34X4.0	1.022	6060/6082/6063
Y34X4.0	1.022	6060/6082/6063
Y34X4.0	1.022	6060/6082/6063
Y50.8X1.27	0.535	6060/6082/6063
Y38X5.0	1.405	6060/6082/6063
Y38X5.0	1.405	6060/6082/6063
Y38X5.0	1.405	6060/6082/6063
Y38X5.0	1.405	6060/6082/6063
Y38X5.0	1.405	6060/6082/6063
Y60X1.5	0.747	6060/6082/6063
Y38X1.5	0.467	6060/6082/6063
Y47X1.2	0.468	6060/6082/6063
Y40X4.0	1.226	6060/6082/6063
Y40X4.0	1.226	6060/6082/6063
Y40X4.0	1.226	6060/6082/6063
Y15.9X1.0	0.127	6060/6082/6063
Y40X2.8	0.887	6060/6082/6063
Y48.3X4.2	1.577	6060/6082/6063
Y38X4.0	1.158	6060/6082/6063
Y38X4.0	1.158	6060/6082/6063

# HAOMEI®

## 豪美新材

### Round Tube

Diameter	kg/m	Alloy
Y38X4.0	1.158	6060/6082/6063
Y38X4.0	1.158	6060/6082/6063
Y38X4.0	1.158	6060/6082/6063
Y50X4.8	1.847	6060/6082/6063
Y50.8X1.6	0.67	6060/6082/6063
Y50.8X1.6	0.67	6060/6082/6063
Y89X3.0	2.197	6060/6082/6063
Y76X3.0	1.865	6060/6082/6063
Y45X5.0	1.703	6060/6082/6063
Y22.23X1.0	0.181	6060/6082/6063
Y19.05X1.2	0.182	6060/6082/6063
Y45.5X5.1	1.754	6060/6082/6063
Y51.5X5.6	2.188	6060/6082/6063
Y51.7X6.7	2.567	6060/6082/6063
Y57.5X6.1	2.669	6060/6082/6063
Y59.6X8.9	3.842	6060/6082/6063
Y22.2X1.2	0.215	6060/6082/6063
Y38.5X5.1	1.45	6060/6082/6063
Y30X11	1.779	6060/6082/6063
Y37X2.0	0.596	6060/6082/6063

# HAOMEI®

## 豪美新材

### Round Tube

Diameter	kg/m	Alloy
Y16X1.5	0.185	6060/6082/6063
Y50.8X2.54	1.044	6060/6082/6063
Y60.32X3.92	1.882	6060/6082/6063
Y71.94X5.19	2.949	6060/6082/6063
Y79.38X3.42	2.212	6060/6082/6063
Y87.64X3.5	2.507	6060/6082/6063
Y50.8X4.5	1.774	6060/6082/6063
Y156X3.0	3.908	6060/6082/6063
Y57.1X2.75	1.272	6060/6082/6063
Y38X2.8	0.839	6060/6082/6063
Y88.9X3.18	2.321	6060/6082/6063
Y15.5X1.75	0.205	6060/6082/6063
Y25X3	0.562	6060/6082/6063
Y70X2	1.158	6060/6082/6063
Y30X1.0	0.247	6060/6082/6063
Y35X1.0	0.289	6060/6082/6063
Y48X3	1.149	6060/6082/6063
Y16X1.22	0.154	6060/6082/6063
Y28X1.4	0.317	6060/6082/6063
Y50.8X3.18	1.289	6060/6082/6063

# HAOMEI®

## 豪美新材

### Round Tube

Diameter	kg/m	Alloy
Y150X3.18	3.975	6060/6082/6063
Y20X2	0.305	6060/6082/6063
Y80X1.0	0.673	6060/6082/6063
Y50X4.0	1.567	6060/6082/6063
Y32X1.5	0.39	6060/6082/6063
Y63.5X1.5	0.792	6060/6082/6063
Y48X2.5	0.968	6060/6082/6063
Y42X2.5	0.841	6060/6082/6063
Y60X1.7	0.844	6060/6082/6063
Y10X1.0	0.077	6060/6082/6063
Y55X12	4.393	6060/6082/6063
Y100X3.0	2.477	6060/6082/6063
Y60X6	2.758	6060/6082/6063
Y48.3X5.5	2.004	6060/6082/6063
Y16X2.0	0.238	6060/6082/6063
Y75X10	5.534	6060/6082/6063
Y90X20	11.919	6060/6082/6063
Y95X10	7.237	6060/6082/6063
Y105X10	8.088	6060/6082/6063
Y115X10	8.939	6060/6082/6063

# HAOMEI®

## 豪美新材

### Round Tube

Diameter	kg/m	Alloy
Y125X10	9.791	6060/6082/6063
Y135X10	10.642	6060/6082/6063
Y150X10	11.919	6060/6082/6063
Y38X2.0	0.613	6060/6082/6063
Y40X1.5	0.492	6060/6082/6063
Y15X1.5	0.172	6060/6082/6063
Y19X1.0	0.153	6060/6082/6063
Y33X4.5	1.092	6060/6082/6063
Y15X2.5	0.266	6060/6082/6063
Y48.3X2.64	1.026	6060/6082/6063
Y34X1.0	0.281	6060/6082/6063
Y12X3.5	0.253	6060/6082/6063
Y60X10	4.257	6060/6082/6063
Y22X1.2	0.213	6060/6082/6063
Y110.2X29.8	20.586	6060/6082/6063
Y120.2X25.3	20.569	6060/6082/6063
Y140.3X35	31.527	6060/6082/6063
Y140.3X35	31.527	6060/6082/6063
Y202X42	57.212	6060/6082/6063
Y203X25.5	38.535	6060/6082/6063



# HAOMEI®

## 豪美新材

### Round Tube

Diameter	kg/m	Alloy
Y220X17.5	30.17	6060/6082/6063
Y240X30	54.558	6060/6082/6063
Y303X26.5	64.192	6060/6082/6063
Y10X2.9	0.175	6060/6082/6063
Y16X1.2	0.151	6060/6082/6063
Y19X1.6	0.237	6060/6082/6063
Y30.5X1.0	0.227	6060/6082/6063
Y120.2X30.3	23.319	6060/6082/6063
Y170.3X35.3	40.753	6060/6082/6063
Y170.3X35.3	40.753	6060/6082/6063
Y50X3.0	1.196	6060/6082/6063
Y22X1.0	0.179	6060/6082/6063
Y55X10.0	3.831	6060/6082/6063
Y100.2X30.2	18.194	6060/6082/6063
Y110.2X25.2	18.475	6060/6082/6063
Y120.2X35.2	25.633	6060/6082/6063
Y130.1X20.1	19.077	6060/6082/6063
Y130.2X25.2	22.734	6060/6082/6063
Y130.2X30.2	25.909	6060/6082/6063
Y130.2X42.2	31.784	6060/6082/6063

# HAOMEI®

## 豪美新材

### Round Tube

Diameter	kg/m	Alloy
Y140.5X40.35	34.605	6060/6082/6063
Y165.2X25.2	30.359	6060/6082/6063
Y180.5X50.35	56.051	6060/6082/6063
Y200.2X20.2	30.956	6060/6082/6063
Y140.2X20.25	20.68	6060/6082/6063
Y150.2X25.2	26.818	6060/6082/6063
Y155.2X27.6	29.983	6060/6082/6063
Y155.2X27.6	29.983	6060/6082/6063
Y170.2X20.2	25.797	6060/6082/6063
Y180.2X15.2	21.352	6060/6082/6063
Y180.2X20.2	27.516	6060/6082/6063
Y230.2X15.7	28.671	6060/6082/6063
Y254X25.5	50.899	6060/6082/6063
Y38.1X3.18	0.945	6060/6082/6063
Y163X35.0	38.319	6060/6082/6063
Y200.1X50.65	65.3	6060/6082/6063
Y200.1X50.65	65.3	6060/6082/6063
Y20X4.0	0.545	6060/6082/6063
Y300X10.0	24.69	6060/6082/6063
Y38X2.8	0.839	6060/6082/6063

# HAOMEI®

## 豪美新材

### Round Tube

Diameter	kg/m	Alloy
Y38X3.0	0.894	6060/6082/6063
Y38X3.0	0.894	6060/6082/6063
Y38X3.0	0.894	6060/6082/6063
Y120X25	20.22	6060/6082/6063
Y120X30	22.987	6060/6082/6063
Y130X30	25.541	6060/6082/6063
Y220X15.0	26.18	6060/6082/6063
Y38.1X6.35	1.716	6060/6082/6063
Y50.8X6.35	2.403	6060/6082/6063
Y50.8X9.53	3.348	6060/6082/6063
Y63.5X9.53	4.379	6060/6082/6063
Y170X15	19.794	6060/6082/6063
Y180.2X40.2	48.513	6060/6082/6063
Y19X1.0	0.153	6060/6082/6063
Y63.5X3.18	1.633	6060/6082/6063
Y270X15.0	32.565	6060/6082/6063
Y7.95X1.0	0.059	6060/6082/6063
Y8.0X1.09	0.064	6060/6082/6063
Y155X10	12.345	6060/6082/6063
Y160X20	23.838	6060/6082/6063

# HAOMEI®

## 豪美新材

### Round Tube

Diameter	kg/m	Alloy
Y170X10	13.622	6060/6082/6063
Y210X20.0	32.424	6060/6082/6063
Y185X25.0	34.055	6060/6082/6063
Y25.4X1.2	0.247	6060/6082/6063
Y25X5.0	0.851	6060/6082/6063
Y30X2.5	0.585	6060/6082/6063
Y125X2.5	2.607	6060/6082/6063
Y220X8.5	16.009	6060/6082/6063
Y160X30	34.024	6060/6082/6063
Y200X30	44.445	6060/6082/6063
Y200X40	55.128	6060/6082/6063
Y220X20	34.758	6060/6082/6063
Y230X36.5	60.866	6060/6082/6063
Y286X8	18.935	6060/6082/6063
Y200X15.0	23.626	6060/6082/6063
Y210X5.0	8.727	6060/6082/6063
Y220X10.0	17.879	6060/6082/6063
Y155X20	22.987	6060/6082/6063
Y90X22.5	12.93	6060/6082/6063
Y130X15	14.686	6060/6082/6063

# HAOMEI®

## 豪美新材

### Round Tube

Diameter	kg/m	Alloy
Y40X7.5	2.075	6060/6082/6063
Y50X1.0	0.417	6060/6082/6063
Y180X20	27.244	6060/6082/6063
Y180X30	38.312	6060/6082/6063
Y150X12.5	14.761	6060/6082/6063
Y95X12.5	8.78	6060/6082/6063
Y47.62X3.18	1.203	6060/6082/6063
Y74X12	6.544	6060/6082/6063
Y80X10	5.96	6060/6082/6063
Y90X12.5	8.248	6060/6082/6063
Y90X15	9.578	6060/6082/6063
Y100X15	10.855	6060/6082/6063
Y100X25	15.963	6060/6082/6063
Y110X10	8.514	6060/6082/6063
Y120X10	9.365	6060/6082/6063
Y120X15	13.409	6060/6082/6063
Y140X10	11.068	6060/6082/6063
Y140X15	15.963	6060/6082/6063
Y150X12.5	14.761	6060/6082/6063
Y180X10	14.473	6060/6082/6063

# HAOMEI®

## 豪美新材

### Round Tube

Diameter	kg/m	Alloy
Y180X15	21.071	6060/6082/6063
Y180X20	27.244	6060/6082/6063
Y180X30	38.312	6060/6082/6063
Y200X10	16.176	6060/6082/6063
Y190X13	19.59	6060/6082/6063
Y80X15	8.301	6060/6082/6063
Y220X15	26.719	6060/6082/6063
Y90X22.5	12.93	6060/6082/6063
Y110X25	18.092	6060/6082/6063
Y120X20	17.027	6060/6082/6063
Y160X15	18.756	6060/6082/6063
Y88X16.5	10.213	6060/6082/6063
Y48.3X3.9	1.474	6060/6082/6063
Y190X25	35.727	6060/6082/6063
Y40X3.5	1.088	6060/6082/6063
Y65X2.5	1.33	6060/6082/6063
Y100X4.0	3.269	6060/6082/6063
Y80X3.5	2.28	6060/6082/6063
Y240X35	61.951	6060/6082/6063
Y110X15	12.273	6060/6082/6063

# HAOMEI®

## 豪美新材

### Round Tube

Diameter	kg/m	Alloy
Y65X10	4.683	6060/6082/6063
Y85X5.0	3.405	6060/6082/6063
Y100X20	13.622	6060/6082/6063
Y27X5.75	1.04	6060/6082/6063
Y50X3.5	1.386	6060/6082/6063
Y90X4.0	2.929	6060/6082/6063
Y90X25	13.988	6060/6082/6063
Y105X15	11.494	6060/6082/6063
Y32X3.5	0.849	6060/6082/6063
Y25X3.5	0.641	6060/6082/6063
Y60X3.5	1.684	6060/6082/6063
Y12.7X3.57	0.277	6060/6082/6063
Y230X10	18.975	6060/6082/6063
Y240X10	19.837	6060/6082/6063
Y130.2X25.2	22.734	6060/6082/6063
Y115X15	12.869	6060/6082/6063
Y60X15	5.747	6060/6082/6063
Y145X20	21.408	6060/6082/6063
Y130X25	22.459	6060/6082/6063
Y115X17.5	14.723	6060/6082/6063

# HAOMEI®

## 豪美新材

### Round Tube

Diameter	kg/m	Alloy
Y90X17.5	10.878	6060/6082/6063
Y175X15	20.582	6060/6082/6063
Y145X15	16.725	6060/6082/6063
Y240X15	28.734	6060/6082/6063
Y36X6.1	1.553	6060/6082/6063
Y170X10	13.622	6060/6082/6063
Y100X10	7.662	6060/6082/6063
Y40X6.75	1.911	6060/6082/6063
Y38X7.0	1.847	6060/6082/6063
Y35X6.4	1.558	6060/6082/6063
Y34X2.5	0.67	6060/6082/6063
Y110X25	18.092	6060/6082/6063
Y142X6.0	6.947	6060/6082/6063
Y40X6.5	1.862	6060/6082/6063
Y75X11	6.147	6060/6082/6063
Y139.4X14.3	15.56	6060/6082/6063
Y179.4X9.4	14.014	6060/6082/6063
Y90X20	11.919	6060/6082/6063
Y160X20	23.838	6060/6082/6063
Y280X30	65.646	6060/6082/6063



# HAOMEI®

## 豪美新材

### Round Tube

Diameter	kg/m	Alloy
Y22X2-L	0.341	6060/6082/6063
Y75X4.0	2.418	6060/6082/6063
Y70X20	8.548	6060/6082/6063
Y80X20	10.216	6060/6082/6063
Y230X10	18.975	6060/6082/6063
Y85X5.0	3.405	6060/6082/6063
Y105X10	8.171	6060/6082/6063
Y125X10	9.887	6060/6082/6063
Y97.3X33.3	18.473	6060/6082/6063
Y116.3X37.8	25.663	6060/6082/6063
Y130.3X43.3	32.517	6060/6082/6063
Y89X2.4	1.769	6060/6082/6063
Y49X3.5	1.356	6060/6082/6063
Y101.6X6.35	5.149	6060/6082/6063
Y101.6X9.53	7.47	6060/6082/6063
Y6X1	0.043	6060/6082/6063
Y120X25	20.22	6060/6082/6063
Y70X12.5	6.119	6060/6082/6063
Y110X20	15.325	6060/6082/6063
Y120X12.5	11.44	6060/6082/6063